Regulatory Peptides, 17 (1987) 353-355
© Elsevier Science Publishers B.V. (Biomedical Division)

Author index

Abe, H., see Okimura, Y, 327
Agnati, L., see Härfstrand, A., 167
Allbee, W., see Kachur, J.F., 63
Amenta, F., Bronzetti, E. and Collier, W.L.
Effect of vasoactive intestinal polypeptide on the cyclic adenosine monophosphate generating system in rat kidney glomeruli and cortical tubules, 295
Ammon, H.P.T., see Verspohl, E.J., 229
Andrews, P.C., see Marchant, T.A., 41

Balasubramaniam, A., see Clark, J.T., 31
Beny, J.L., Brunet, P. and Huggel, H.
Interaction of bradykinin and des-Arg^9-bradykinin with isolated pig coronary arteries: mechanical and electrophysiological events, 181
Biffi, E., see Parolaro, D., 111
Blaha, C.D., Phillips, A.G. and Lane, R.F.
Reversal by cholecystokinin of apomorphine-induced inhbition of dopamine release in the nucleus accumbens of the rat, 301
Breuning, I., see Verspohl, E.J., 229
Bronzetti, E., see Amenta, F., 295
Brubaker, P.L.
Ontogeny of glucagon-like immunoreactive peptides in rat intestine, 319
Brunet, P., see Beny, J.L., 181
Brunner, H.R., see Flückiger, J.-P., 277
Burns, B.D., see Webb, A.C., 257

Capella, C., see Fiocca, R., 9
Chihara, K., see Okimura, Y., 327
Christophe, J., see Van Bogaert, P., 339
Clark, J.T., Sahu, A., Kalra, P.S., Balasubramaniam, A. and Kalra, S.P.
Neuropeptide Y (NPY)-induced feeding behavior in female rates: comparison with human NPY ([Met^{17}]NPY), NPY analog ([norLeu^4]NPY) and peptide YY, 31
Classen, M., see Schepp, W., 209
Collier, W.L., see Amenta, F., 295
Colmers, W.F., see Lukowiak, K., 99
Colony, C., see Pollack, P.F., 121

Danho, W., see Kachur, J.F., 63
De Caro, G., see Massi, M., 85
De Jong, A.J.L., Klamer, M., Jansen, J.B.M.J. and Lamers, C.B.H.W.
Effect of atropine and somatostatin on bombesin-stimulated plasma gastrin, cholecystokinin and pancreatic polypeptide in man, 285
Dehaye, J.-P., see Van Bogaert, P., 339

Ebenezer, I.S., see Webb, A.C., 257
Edmond, J., see Pollack, P.F., 121
Eneroth, P., see Härfstrand, A., 167

Fiocca, R., Rindi, G., Capella, C., Grimelius, L., Polak, J.M., Schwartz, T.W., Yanaihara, N. and Solcia, E.
Glucagon, glicentin, proglucagon, PYY, PP and proPP-icosapeptide immunoreactivities of rectal carcinoid tumors and related non-tumor cells, 9
Flückiger, J.-P., Waeber, B., Nussberger, J., Matsueda, G. and Brunner, H.R.
Effect of indomethacin and propanolol on the blood pressure and renin response to atriopeptin III in conscious rats, 277
Fraser, R.A., see Marchant, T.A., 41
Fujita, T., see Okimura, Y., 327
Funakoshi, A., Nakano, I., Shinozaki, H., Miyazaki, K. and Ibayashi, H.
Effects of proglumide on pancreatic endocrine and exocrine function in healthy humans, 311
Fuxe, K., see Härfstrand, A., 167

Gaginella, T.S., see Kachur, J.F., 63
Goda, T., see Pollack, P.F., 121
Gori, E., see Parolaro, D., 111
Grimelius, L., see Fiocca, R., 9

Haglund, U., see Stenquist, B., 1
Härfstrand, A., Eneroth, P., Agnati, L. and Fuxe, K.
Further studies on the effects of central administration of neuropeptide Y on neuroen-

docrine function the male rat: relationship to hypothalamic catecholamines, 167
Hashimoto, K., Hattori, T., Suemaru, S., Sugawara, M., Takao, T., Kageyama, J. and Ota, Z.
Atrial natriuretic peptide does not affect corticotropin-releasing factor-, arginine vasopressin- and angiotensin II-induced adrenocorticotropic hormone release in vivo or in vitro, 53
Hattori, T., see Hashimoto, K., 53
Hedner, J., Towle, A., Saltzman, L., Mueller, R.A., Norfleet, E.A., Watson, C.B. and Hedner, T.
Changes in plasma atrial natriuretic peptide — immunoreactivity in patients undergoing coronary artery bypass graft placements, 151
Hedner, T., see Hedner, J., 151
Heim, H.-K., see Schepp, W., 209
Helm, G., see Larsson, L.T., 243
Holst, J.J., see Knuhtsen, S., 269
Holst, J.J., see Stenquist, B., 1
Huggel, H., see Beny, J.L., 181

Ibayashi, H., see Funakoshi, A., 311

Jansen, J.B.M.J., see De Jong, A.J.L., 285
Jensen, S.L., see Knuhtsen, S., 269
Joffe, S., see Werther, G.A., 191

Kachur, J.F., Allbee, W., Danho, W. and Gaginella, T.S.
Bradykinin receptors: functional similarities in guinea pig gut muscle and mucosa, 63
Kageyama, J., see Hashimoto, K., 53
Kalra, P.S., see Clark, J.T., 31
Kalra, S.P., see Clark, J.T., 31
Kashio, Y., see Okimura, Y., 327
Kita, T., see Okimura, Y., 327
Klamer, M., see De Jong, A.J.L., 285
Kleveland, P.M., see Sandvik, A.K., 143
Knuhtsen, S., Holst, J.J., Schwartz, T.W., Jensen, S.L. and Nielsen, O.V.
The effect of gastrin-releasing peptide on the endocrine pancreas, 269
Koldovsky, O., see Pollack, P.F., 121
Korc, M., see Pollack, P.F., 121
Kothary, P.C., Mahoney, W.C. and Vinik, A.I.
Identification of gastrin molecular variants in gastrinoma syndrome, 71
Kuwahara, A. and Yanaihara, N.
Action of the newly discovered mammalian tachykinins, substance K and neuromedin K, on gastroduodenal motility of anesthetized dogs, 221

Lambert, M., see Van Bogaert, P., 339
Lamers, C.B.H.W., see De Jong, A.J.L., 285
Lane, R.F., see Blaha, C.D., 301
Larsson, L.T., Helm, G., Malmfors, G. and Sundler, F.
Ontogeny of peptide-containing neurones in human gut — an immunocytochemical study, 243
Lind, T., see Stenquist, B., 1
Lukowiak, K. and Colmers, W.F.
Endogenous peptides work at multiple sites in the nervous system in the control of gill behaviors in *Aplysia*, 99

Maeda-Hagiwara, M. and Taché, Y.
Central nervous system action of TRH to stimulate gastric emptying in rats, 199
Mahoney, W.C., see Kothary, P.C., 71
Malmfors, G., see Larsson, L.T., 243
Marchant, T.A., Fraser, R.A., Andrews, P.C. and Peter, R.E.
The influence of mammalian and teleost somatostatins on the secretion of growth hormone from goldfish (*Carassius auratus* L.) pituitary fragments in vitro, 41
Mark, M., see Verspohl, E.J., 229
Massi, M., Perfumi, M., Polidori, C. and De Caro, G.
Effect of kassinin, neurokinin A and neurokinin B on drinking behaviour in the pigeon, 85
Matsueda, G., see Flückiger, J.-P., 277
Mayer, R., see Van Bogaert, P., 339
McGuigan, J.E., see Wolfe, M.M., 133
Miyazaki, K., see Funakoshi, A., 311
Mueller, R.A., see Hedner, J., 151
Murphy, R.F., see Werther, G.A., 191

Nakano, I., see Funakoshi, A., 311
Nielsen, O.V., see Knuhtsen, S., 269
Norfleet, E.A., see Hedner, J., 151
Nussberger, J., see Flückiger, J.-P., 277
Nyberg, F. and Nylander, I.
Dynorphin A immunoreactivity in human cerebrospinal fluid, 159
Nylander, I., see Nyberg, F., 159

Okimura, Y., Chihara, K., Abe, H., Kita, T., Kashio, Y., Sato, M. and Fujita, T.
Calcitonin gene-related peptide-like immu-

noreactivity in the central nervous system and peripheral organs of rats, 327
Olbe, L., see Stenquist, B., 1
Ota, Z., see Hashimoto, K., 53

Parolaro, D., Sala, M., Patrini, G., Biffi, E., Pecora, N. and Gori, E.
Further investigations on neurotensin as central modulator of intestinal motility in rats, 111
Patrini, G., see Parolaro, D., 111
Pecora, N., see Parolaro, D., 111
Perfumi, M., see Massi, M., 85
Peter, R.E., see Marchant, T.A., 41
Phillips, A.G., see Blaha, C.D., 301
Polak, J.M., see Fiocca, R., 9
Polidori, C., see Massi, M., 85
Pollack, P.F., Goda, T., Colony, C., Edmond, J., Thornburg, W., Korc, M. and Koldovsky, O.
Effects of enterally fed epidermal growth factor on the small and large intestine of the suckling rat, 121
Poloczek, P., see Van Bogaert, P., 339

Rindi, G., see Fiocca, R., 9
Ruoff, H.-J., see Schepp, W., 209

Sahu, A., see Clark, J.T., 31
Sala, M., see Parolaro, D., 111
Saltzman, L., see Hedner, J., 151
Sandvik, A.K., Kleveland, P.M. and Waldum, H.L.
The effect of secretin on acid and pepsin secretion and gastrin release in the totally isolated vascularly perfused rat stomach, 143
Sato, M., see Okimura, Y., 327
Schepp, W., Schneider, J., Heim, H.-K., Ruoff, H.-J., Schusdziarra, V. and Classen, M.
A calmodulin antagonist inhibits histamine-stimulated acid production by isolated rat parietal cells, 209
Schneider, J., see Schepp, W., 209
Schusdziarra, V., see Schepp, W., 209
Schwartz, T.W., see Fiocca, R., 9
Schwartz, T.W., see Knuhtsen, S., 269
Shinozaki, H., see Funakoshi, A., 311
Short, G.M., see Wolfe, M.M., 133
Solcia, E., see Fiocca, R., 9
Soukias, Y., see Van Bogaert, P., 339
Sperling, M.A., see Werther, G.A., 191
Stenquist, B., Lind, T., Haglund, U., Holst, J.J., Rehfeld, J.F. and Olbe, L.
Do enkephalins participate in vagal activation of gastric acid secretion in man?, 1
Suemaru, S., see Hashimoto, K., 53
Sugawara, M., see Hashimoto, K., 53
Sundler, F., see Larsson, L.T., 243

Taché, Y., see Maeda-Hagiwara, M., 199
Takao, T., see Hashimoto, K., 53
Thornburg, W., see Pollack, P.F., 121
Towle, A., see Hedner, J., 151

Van Bogaert, P., Soukias, Y., Dehaye, J.-P., Lambert, M., Poloczek, P., Winand, J., Mayer, R. and Christophe, J.
Adenylate cyclase stimulation by VIP in rat and human parotid membranes, 339
Verspohl, E.J., Breuning, I., Ammon, H.P.T. and Mark, M.
Significance of Ca^{2+}, Rb^{+} fluxes, of cAMP and cGMP for the CCK_8-modulated insulin release, 229
Vini, A.I., see Kothary, P.C., 71

Waeber, B., see Flückiger, J.-P., 277
Waldum, H.L., see Sandvik, A.K., 143
Watson, C.B., see Hedner, J., 151
Webb, A.C., Ebenezer, I.S. and Burns, B.D.
The effects of arginine-8 vasopressin on blood vessels supplying the cerebral cortex, 257
Werther, G.A., Sperling, M.A., Joffe, S. and Murphy, R.F.
The regulation of basal pancreatic polypeptide levels in dogs, 191
Winand, J., see Van Bogaert, P., 339
Wolfe, M.M., Short, G.M. and McGuigan, J.E.
β-Adrenergic stimulation of gastrin release mediated by gastrin-releasing peptide in rat antral mucosa, 133

Yanaihara, N., see Fiocca, R., 9
Yanaihara, N., see Kuwahara, A., 221

Regulatory Peptides, 17 (1987) 356-360
© Elsevier Science Publishers B.V. (Biomedical Division)

Subject index

Adaptive behavior, Arginine vasotocin, Small cardioactive peptide B, Gill withdrawal reflex, 99

Adenylate cyclase, Parietal cell, [^{14}C]aminopyrine uptake, Histamine, H^+/K^+-ATPase, cAMP, Calmodulin, Naphthalene sulfonamide W 7, 209

Adenylate cyclase, Kidney, Vasoactive intestinal polypeptide, Glomerulus, Tubule, Rat, 295

Adrenergic, Gastrin, Somatostatin, Gastrin-releasing peptide (GRP), Cholinergic, 133

Adrenergic transmitter, Neuropeptide Y, Rat brain, Serum hormone, 167

β-Adrenoceptor blockade, Atrial natriuretic peptide, Plasma renin activity, Cyclo-oxygenase inhibition, Prostaglandin, 277

Adrenocorticotropic hormone, Atrial natriuretic peptide, Corticotropin-releasing factor, Arginine vasopressin, Angiotensin II, Corticosterone, 53

[^{14}C]aminopyrine uptake, Parietal cell, Histamine, Adenylate cyclase, H^+/K^+-ATPase, cAMP, Calmodulin, Naphthalene sulfonamide W 7, 209

Angiotensin II, Atrial natriuretic peptide, Corticotropin-releasing factor, Arginine vasopressin, Adrenocorticotropic hormone, Corticosterone, 53

Apomorphine, Cholecystokinin, Dopamine release, Nucleus accumbens, Depolarization block, In vivo electrochemistry, 301

Arginine vasopressin, Atrial natriuretic peptide, Corticotropin-releasing factor, Angiotensin II, Adrenocorticotropic hormone, Corticosterone, 53

Arginine vasotocin, Small cardioactive peptide B, Adaptive behavior, Gill withdrawal reflex, 99

Artificial feeding, Colon, Sucrase, Thyroxine, Protein, DNA, 121

Atrial natriuretic peptide, Corticotropin-releasing factor, Arginine vasopressin, Angiotensin II, Adrenocorticotropic hormone, Corticosterone, 53

Atrial natriuretic peptide, Coronary artery bypass grafting, Cardiopulmonary bypass, Narcotic, 151

Atrial natriuretic peptide, Plasma renin activity, Cyclo-oxygenase inhbition, Prostaglandin, β-Adrenoceptor blockade, 277

Autonomic regulation, Opiate, Somatostatin, Glucagon, 191

Behavior, Food intake, Neuropeptide, Intraventricular, Grooming, Latency, 31

Benzilonium bromide, Gastrin releasing peptide (bombesin), Naloxone, Modified sham feeding, 1

Bombesin, Gastrin, Cholecystokinin, Pancreatic polypeptide, 285

Bradykinin antagonist, Inflammatory bowel disease, Guinea pig ileum, Short-circuit current, Intestinal secretion, Intestinal motility, 63

Bradykinin, des-Arg^9-bradykinin, Coronary artery, Pig, Endothelium, Electrophysiology, 181

$^{45}Ca^{2+}$ uptake, Cholecystokinin, Rat pancreatic islet, $^{86}Rb^+$ efflux, cAMP, cGMP, 229

Calcitonin gene-related peptide (CGRP), Substance P, Vasoactive intestinal polypeptide (VIP), Neuropeptide Y (NPY), Enkephalin, Galanin, Gastrin-releasing peptide (GRP), Peptide histidine isoleucine (PHI), 243

Calcitonin gene-related peptide-like immunoreactivity, Tissue distribution, Molecular heterogeneity, Central nervous system, Peripheral organ, 327

Calmodulin, Parietal cell, [^{14}C]aminopyrine uptake, Histamine, Adenylate cyclase, H^+/K^+-ATPase, cAMP, Naphthalene sulfonamide W 7, 209

cAMP, Cholecystokinin, Rat pancreatic islet, $^{86}Rb^+$ efflux, $^{45}Ca^{2+}$ uptake, cGMP, 229

cAMP, Parietal cell, [^{14}C]aminopyrine uptake, Histamine, Adenylate cyclase, H^+/K^+-ATPase, Calmodulin, Naphthalene sulfonamide W 7, 209

Cardiopulmonary bypass, Coronary artery bypass grafting, Atrial natriuretic peptide, Narcotic, 151

Central nervous system, Thyrotropin-releasing hormone, Gastric emptying, Vagus, 199

Central nervous system, Calcitonin gene-related peptide-like immunoreactivity, Tissue distribution, Molecular heterogeneity, Peripheral organ, 327

cGMP, Cholecystokinin, Rat pancreatic islet, $^{86}Rb^{+}$ efflux, $^{45}Ca^{2+}$ uptake, cAMP, 229

Cholecystokinin, Rat pancreatic islet, $^{86}Rb^{+}$ efflux, $^{45}Ca^{2+}$ uptake, cAMP, cGMP, 229

Cholecystokinin, Gastrin, Pancreatic polypeptide, Bombesin, 285

Cholecystokinin, Dopamine release, Nucleus accumbens, Apomorphine, Depolarization block, In vivo electrochemistry, 301

Cholecystokinin, Proglumide, Pancreatic polypeptide, 311

Cholera toxin-stimulated ADP-ribosylation, Peptide histidine isoleucinamide (PHI), Secretin, Isoproterenol, Forskolin, Guanyl nucleotide-binding stimulatory protein (Ns), 339

Cholinergic, Gastrin, Somatostatin, Gastrin-releasing peptide (GRP), Adrenergic, 133

Colon, Artificial feeding, Sucrase, Thyroxine, Protein, DNA, 121

Coronary artery bypass grafting, Atrial natriuretic peptide, Cardiopulmonary bypass, Narcotic, 151

Coronary artery, Bradykinin, des-Arg^{9}-bradykinin, Pig, Endothelium, Electrophysiology, 181

Corticosterone, Atrial natriuretic peptide, Corticotropin-releasing factor, Arginine vasopressin, Angiotensin II, Adrenocorticotropic hormone, 53

Corticotropin-releasing factor, Atrial natriuretic peptide, Arginine vasopressin, Angiotensin II, Adrenocorticotropic hormone, Corticosterone, 53

Cyclo-oxygenase inhbition, Atrial natriuretic peptide, Plasma renin activity, Prostaglandin, β-Adrenoceptor blockade, 277

Depolarization block, Cholecystokinin, Dopamine release, Nucleus accumbens, Apomorphine, In vivo electrochemistry, 301

des-Arg^{9}-bradykinin, Bradykinin, Coronary artery, Pig, Endothelium, Electrophysiology, 181

Development, Glucagon-like immunoreactive peptide (GLI), Immunoreactive glucagon (IRG), Gut, Fetal, Molecular weight distribution, 319

DNA, Colon, Artificial feeding, Sucrase, Thyroxine, Protein, 121

Dopamine release, Cholecystokinin, Nucleus accumbens, Apomorphine, Depolarization block, In vivo electrochemistry, 301

Dynorphin A, Opioid peptide, Proenkephalin B, Immunoreactivity, Human cerebrospinal fluid, 159

Electrophysiology, Bradykinin, des-Arg^{9}-bradykinin, Coronary artery, Pig, Endothelium, 181

Endothelium, Bradykinin, des-Arg^{9}-bradykinin, Coronary artery, Pig, Electrophysiology, 181

Enkephalin, Substance P, Vasoactive intestinal polypeptide (VIP), Neuropeptide Y (NPY), Galanin, Calcitonin gene-related peptide (CGRP), Gastrin-releasing peptide (GRP), Peptide histidine isoleucine (PHI), 243

Fetal, Glucagon-like immunoreactive peptide (GLI), Immunoreactive glucagon (IRG), Gut, Development, Molecular weight distribution, 319

Food intake, Neuropeptide, Intraventricular, Grooming, Behavior, Latency, 31

Forskolin, Peptide histidine isoleucinamide (PHI), Secretin, Isoproterenol, Guanyl nucleotide-binding stimulatory protein (Ns), Cholera toxin-stimulated ADP-ribosylation, 339

Galanin, Substance P, Vasoactive intestinal polypeptide (VIP), Neuropeptide Y (NPY), Enkephalin, Calcitonin gene-related peptide (CGRP), Gastrin-releasing peptide (GRP), Peptide histidine isoleucine (PHI), 243

Gastric acid, Gastrin, Isolated rat stomach, Pepsin, Phosphodiesterase inhibitor, Secretin, 143

Gastric emptying, Thyrotropin-releasing hormone, Central nervous system, Vagus, 199

Gastrin releasing peptide (bombesin), Benzilonium bromide, Naloxone, Modified sham feeding, 1

Gastrin, Cholecystokinin, Pancreatic polypeptide, Bombesin, 285

Gastrin, Gastrinoma, Radioimmunoassay, Liver metastase, 71

Gastrin, Gastric acid, Isolated rat stomach, Pepsin, Phosphodiesterase inhibitor, Secretin, 143

Gastrin, Somatostatin, Gastrin-releasing peptide (GRP), Adrenergic, Cholinergic, 133
Gastrin-releasing peptide (GRP), Gastrin, Somatostatin, Adrenergic, Cholinergic, 133
Gastrin-releasing peptide (GRP), Substance P, Vasoactive intestinal polypeptide (VIP), Neuropeptide Y (NPY), Enkephalin, Galanin, Calcitonin gene-related peptide (CGRP), Peptide histidine isoleucine (PHI), 243
Gastrin-releasing peptide, Immunoreactivity, Pancreas, 269
Gastrinoma, Gastrin, Radioimmunoassay, Liver metastase, 71
Gastroduodenal motility, Substance K, Neuromedin K, Substance P, Tachykinin, 221
Gill withdrawal reflex, Arginine vasotocin, Small cardioactive peptide B, Adaptive behavior, 99
Glicentin, Tumor marker, Rectal carcinoid, Immunohistochemistry, 5-Hydroxytryptamine, Glucagon, Proglucagon fragment, PYY, PP, PP-icosapeptide, 9
Glomerulus, Kidney, Vasoactive intestinal polypeptide, Tubule, Rat, Adenylate cyclase, 295
Glucagon, Tumor marker, Rectal carcinoid, Immunohistochemistry, 5-Hydroxytryptamine, Glicentin, Proglucagon fragment, PYY, PP, PP-icosapeptide, 9
Glucagon, Opiate, Somatostatin, Autonomic regulation, 191
Glucagon-like immunoreactive peptide (GLI), Immunoreactive glucagon (IRG), Gut, Fetal, Development, Molecular weight distribution, 319
Goldfish, Growth hormone, Somatostatin, Teleost, 41
Grooming, Food intake, Neuropeptide, Intraventricular, Behavior, Latency, 31
Growth hormone, Goldfish, Somatostatin, Teleost, 41
Guanyl nucleotide-binding stimulatory protein (Ns), Peptide histidine isoleucinamide (PHI), Secretin, Isoproterenol, Forskolin, Cholera toxin-stimulated ADP-ribosylation, 339
Guinea pig ileum, Inflammatory bowel disease, Short-circuit current, Intestinal secretion, Bradykinin antagonist, Intestinal motility, 63
Gut, Glucagon-like immunoreactive peptide (GLI), Immunoreactive glucagon (IRG), Fetal, Development, Molecular weight distribution, 319

H^+/K^+-ATPase, Parietal cell, [^{14}C]aminopyrine uptake, Histamine, Adenylate cyclase, cAMP, Calmodulin, Naphthalene sulfonamide W 7, 209
Histamine, Parietal cell, [^{14}C]aminopyrine uptake, Adenylate cyclase, H^+/K^+-ATPase, cAMP, Calmodulin, Naphthalene sulfonamide W 7, 209
5-Hydroxytryptamine, Tumor marker, Rectal carcinoid, Immunohistochemistry, Glucagon, Glicentin, Proglucagon fragment, PYY, PP, PP-icosapeptide, 9
Human cerebrospinal fluid, Dynorphin A, Opioid peptide, Proenkephalin B, Immunoreactivity, 159
Hyperosmotic thirst, Tachykinin, Water intake, Hypovolaemic thirst, 85
Hypovolaemic thirst, Tachykinin, Water intake, Hyperosmotic thirst, 85

Immunohistochemistry, Tumor marker, Rectal carcinoid, 5-Hydroxytryptamine, Glucagon, Glicentin, Proglucagon fragment, PYY, PP, PP-icosapeptide, 9
Immunoreactivity, Dynorphin A, Opioid peptide, Proenkephalin B, Human cerebrospinal fluid, 159
Immunoreactivity, Gastrin-releasing peptide, Pancreas, 269
Immunoreactive glucagon (IRG), Glucagon-like immunoreactive peptide (GLI), Gut, Fetal, Development, Molecular weight distribution, 319
In vivo electrochemistry, Cholecystokinin, Dopamine release, Nucleus accumbens, Apomorphine, Depolarization block, 301
Inflammatory bowel disease, Guinea pig ileum, Short-circuit current, Intestinal secretion, Bradykinin antagonist, Intestinal motility, 63
Intestinal secretion, Inflammatory bowel disease, Guinea pig ileum, Short-circuit current, Bradykinin antagonist, Intestinal motility, 63
Intestinal motility, Inflammatory bowel disease, Guinea pig ileum, Short-circuit current, Intestinal secretion, Bradykinin antagonist, 63
Intestinal inhibition, Neurotensin, Morphine, Tolerance, Thyrotropin-releasing hormone (TRH), Periaqueductal gray matter, 111
Intraventricular, Food intake, Neuropeptide, Grooming, Behavior, Latency, 31
Isolated rat stomach, Gastric acid, Gastrin, Pepsin, Phosphodiesterase inhibitor, Secretin, 143
Isoproterenol, Peptide histidine isoleucinamide (PHI), Secretin, Forskolin, Guanyl nucleo-

tide-binding stimulatory protein (Ns), Cholera toxin-stimulated ADP-ribosylation, 339

Kidney, Vasoactive intestinal polypeptide, Glomerulus, Tubule, Rat, Adenylate cyclase, 295

Latency, Food intake, Neuropeptide, Intraventricular, Grooming, Behavior, 31

Liver metastase, Gastrin, Gastrinoma, Radioimmunoassay, 71

Modified sham feeding, Benzilonium bromide, Gastrin releasing peptide (bombesin), Naloxone, 1

Molecular weight distribution, Glucagon-like immunoreactive peptide (GLI), Immunoreactive glucagon (IRG), Gut, Fetal, Development, 319

Molecular heterogeneity, Calcitonin gene-related peptide-like immunoreactivity, Tissue distribution, Central nervous system, Peripheral organ, 327

Morphine, Neurotensin, Intestinal inhibition, Tolerance, Thyrotropin-releasing hormone (TRH), Periaqueductal gray matter, 111

Naloxone, Benzilonium bromide, Gastrin releasing peptide (bombesin), Modified sham feeding, 1

Naphthalene sulfonamide W 7, Parietal cell, [^{14}C]aminopyrine uptake, Histamine, Adenylate cyclase, H^+/K^+-ATPase, cAMP, Calmodulin, 209

Narcotic, Coronary artery bypass grafting, Atrial natriuretic peptide, Cardiopulmonary bypass, 151

Neuromedin K, Substance K, Substance P, Tachykinin, Gastroduodenal motility, 221

Neuropeptide, Food intake, Intraventricular, Grooming, Behavior, Latency, 31

Neuropeptide Y, Adrenergic transmitter, Rat brain, Serum hormone, 167

Neuropeptide Y (NPY), Substance P, Vascoactive intestinal polypeptide (VIP), Enkephalin, Galanin, Calcitonin gene-related peptide (CGRP), Gastrin-releasing peptide (GRP), Peptide histidine isoleucine (PHI), 243

Neurotensin, Morphine, Intestinal inhibition, Tolerance, Thyrotropin-releasing hormone (TRH), Periaqueductal gray matter, 111

Nucleus accumbens, Cholecystokinin, Dopamine release, Apomorphine, Depolarization block, In vivo electrochemistry, 301

Opiate, Somatostatin, Autonomic regulation, Glucagon, 191

Opioid peptide, Dynorphin A, Proenkephalin B, Immunoreactivity, Human cerebrospinal fluid, 159

PP, Tumor marker, Rectal carcinoid, Immunohistochemistry, 5-Hydroxytryptamine, Glucagon, Glicentin, Proglucagon fragment, PYY, PP-icosapeptide, 9

PP-icosapeptide, Tumor marker, Rectal carcinoid, Immunohistochemistry, 5-Hydroxytryptamine, Glucagon, Glicentin, Proglucagon fragment, PYY, PP, 9

PPY, Tumor marker, Rectal carcinoid, Immunohistochemistry, 5-Hydroxytryptamine, Glucagon, Glicentin, Proglucagon fragment, PP, PP-icosapeptide, 9

Pancreas, Gastrin-releasing peptide, Immunoreactivity, 269

Pancreatic polypeptide, Gastrin, Cholecystokinin, Bombesin, 285

Pancreatic polypeptide, Proglumide, Cholecystokinin, 311

Parietal cell, [^{14}C]aminopyrine uptake, Histamine, Adenylate cyclase, H^+/K^+-ATPase, cAMP, Calmodulin, Naphthalene sulfonamide W 7, 209

Pepsin, Gastric acid, Gastrin, Isolated rat stomach, Phosphodiesterase inhibitor, Secretin, 143

Peptide histidine isoleucine (PHI), Substance P, Vasoactive intestinal polypeptide (VIP), Neuropeptide Y (NPY), Enkephalin, Galanin, Calcitonin gene-related peptide (CGRP), Gastrin-releasing peptide (GRP), 243

Peptide histidine isoleucinamide (PHI), Secretin, Isoproterenol, Forskolin, Guanyl nucleotide-binding stimulatory proteins (Ns), Cholera toxin-stimulated ADP-ribosylation, 339

Periaqueductal gray matter, Neurotensin, Morphine, Intestinal inhibition, Tolerance, Thyrotropin-releasing hormone (TRH), 111

Peripheral organ, Calcitonin gene-related peptide-like immunoreactivity, Tissue distribution, Molecular heterogeneity, Central nervous system, 327

Phosphodiesterase inhibitor, Gastric acid, Gastrin, Isolated rat stomach, Pepsin, Secretin, 143

Pial artery, Vasopressin, Urethane, Rat, 257

Pig, Bradykinin, des-Arg^9-bradykinin, Coronary artery, Endothelium, Electrophysiology, 181

Plasma renin activity, Atrial natriuretic peptide, Cyclo-oxygenase inhbition, Prostaglandin, β-Adrenoceptor blockade, 277

Proenkephalin B, Dynorphin A, Opioid peptide, Immunoreactivity, Human cerebrospinal fluid, 159

Proglucagon fragment, Tumor marker, Rectal carcinoid, Immunohistochemistry, 5-Hydroxytryptamine, Glucagon, Glicentin, PYY, PP, PP-icosapeptide, 9

Proglumide, Pancreatic polypeptide, Cholecystokinin, 311

Prostaglandin, Atrial natriuretic peptide, Plasma renin activity, Cyclo-oxygenase inhibition, β-Adrenoceptor blockade, 277

Protein, Colon, Artificial feeding, Sucrase, Thyroxine, DNA, 121

Radioimmunoassay, Gastrin, Gastrinoma, Liver metastase, 71

Rat brain, Neuropeptide Y, Adrenergic transmitter, Serum hormone, 167

Rat pancreatic islet, Cholecystokinin, $^{86}Rb^{+}$ efflux, $^{45}Ca^{2+}$ uptake, cAMP, cGMP, 229

Rat, Kidney, Vasoactive intestinal polypeptide, Glomerulus, Tubule, Adenylate cyclase, 295

Rat, Vasopressin, Pial artery, Urethane, 257

$^{86}Rb^{+}$ efflux, Cholecystokinin, Rat pancreatic islet, $^{45}Ca^{2+}$ uptake, cAMP, cGMP, 229

Rectal carcinoid, Tumor marker, Immunohistochemistry, 5-Hydroxytryptamine, Glucagon, Glicentin, Proglucagon fragment, PYY, PP, PP-icosapeptide, 9

Secretin, Gastric acid, Gastrin, Isolated rat stomach, Pepsin, Phosphodiesterase inhibitor, 143

Secretin, Peptide histidine isoleucinamide (PHI), Isoproterenol, Forskolin, Guanyl nucleotide-binding stimulatory protein (Ns), Cholera toxin-stimulated ADP-ribosylation, 339

Serum hormone, Neuropeptide Y, Adrenergic transmitter, Rat brain, 167

Short-circuit current, Inflammatory bowel disease, Guinea pig ileum, Intestinal secretion, Bradikinin antagonist, Intestinal motility, 63

Small cardioactive peptide B, Arginine vasotocin, Adaptive behavior, Gill withdrawal reflex, 99

Somatostatin, Goldfish, Growth hormone, Teleost, 41

Somatostatin, Gastrin, Gastrin-releasing peptide (GRP), Adrenergic, Cholinergic, 133

Somatostatin, Opiate, Autonomic regulation, Glucagon, 191

Substance K, Neuromedin K, Substance P, Tachykinin, Gastroduodenal motility, 221

Substance P, Substance K, Neuromedin K, Tachykinin, Gastroduodenal motility, 221

Substance P, Vasoactive intestinal polypeptide (VIP), Neuropeptide Y (NPY), Enkephalin, Galanin, Calcitonin gene-related peptide (CGRP), Gastrin-releasing peptide (GRP), Peptide histidine isoleucine (PHI), 243

Sucrase, Colon, Artificial feeding, Thyroxine, Protein, DNA, 121

Tachykinin, Water intake, Hyperosmotic thirst, Hypovolaemic thirst, 85

Tachykinin, Substance K, Neuromedin K, Substance P, Gastroduodenal motility, 221

Teleost, Goldfish, Growth hormone, Somatostatin, 41

Thyrotropin-releasing hormone (TRH), Neurotensin, Morphine, Intestinal inhibition, Tolerance, Periaqueductal gray matter, 111

Thyrotropin-releasing hormone, Central nervous system, Gastric emptying, Vagus, 199

Thyroxine, Colon, Artificial feeding, Sucrase, Protein, DNA, 121

Tissue distribution, Calcitonin gene-related peptide-like immunoreactivity, Molecular heterogeneity, Central nervous system, Peripheral organ, 327

Tolerance, Neurotensin, Morphine, Intestinal inhbition, Thyrotropin-releasing hormone (TRH), Periaqueductal gray matter, 111

Tubule, Kidney, Vasoactive intestinal polypeptide, Glomerulus, Rat, Adenylate cyclase, 295

Tumor marker, Rectal carcinoid, Immunohistochemistry, 5-Hydroxytryptamine, Glucagon, Glicentin, Proglucagon fragment, PYY, PP, PP-icosapeptide, 9

Urethane, Vasopressin, Pial artery, Rat, 257

Vagus, Thyrotropin-releasing hormone, Central nervous system, Gastric emptying, 199

Vasoactive intestinal polypeptide (VIP), Substance P, Neuropeptide Y (NPY), Enkephalin, Galanin, Calcitonin gene-related peptide (CGRP), Gastrin-releasing peptide (GRP), Peptide histidine isoleucine (PHI), 243

Vasoactive intestinal polypeptide, Kidney, Glomerulus, Tubule, Rat, Adenylate cyclase, 295

Vasopressin, Pial artery, Urethane, Rat, 257

Water intake, Tachykinin, Hyperosmotic thirst, Hypovolaemic thirst, 85